Index to Volume 29

Author Index

Volume 29

A

Ackerson L: *see* Walter LJ.
Addis ME: *see* Doerfler LA.
Alexander JA: *see* Bingham CR.
Allen S: *see* Walter LJ.
Amirsadri A: *see* Arfken CL.
Anthony WA: *see* Ellison ML.
Arfken CL, Zeman LL, Yeager L, Mischel E, Amirsadri A: Frequent Visitors to Psychiatric and Emergency Services: Staff Attitudes and Temporal Patterns, 29(4): 490–496.
Asche SE, Harrison PA: The Relationship between Problem Severity and Ancillary Treatment Services: Is Substance Abuse Treatment Responsive to Client Need?, 29(3): 345–356.
Atkinson JS: *see* Montoya ID.

B

Banks SM: *see* Fisher WH.
Barker WJ: *see* Ellison ML.
Becker M, Stiles P, Schonfeld L: Mental Health Service Use and Cost of Care for Older Adults in Assisted Living Facilities: Implications for Public Policy, 29(1): 91–98.
Bédard M: *see* Squire L.
Bell DC: *see* Montoya ID.
Bingham CR, Valenstein M, Blow FC, Alexander JA: The Mental Health Care Context and Patient Characteristics: Implications for Provider Job Satisfaction, 29(3): 335–344.
Blow FC: *see* Bingham CR.
Booth BM, Feng W: The Impact of Drinking and Drinking Consequences on Short-Term Employment Outcomes in At-Risk Drinkers in Six Southern States, 29(2): 157–166.
Booth BM: Introduction to Health Services Research in Substance Abuse: Research in Practice, 29(2): 113–114.
Booth BM: *see* Curran GM.
Boothroyd RA: *see* Stiles PG.
Brems C, Johnson ME, Namyniuk LL: Clients with Substance Abuse and Mental Health Concerns: A Guide for Conducting Intake Interviews, 29(3): 327–334.
Brown SA, Parker JD, Godding PR: Administrative, Clinical, and Ethical Issues Surrounding the Use of Waiting Lists in the Delivery of Mental Health Services, 29(2): 217–228.
Busby LD: *see* Parker JD.

C

Caldwell K: *see* Frederick S.
Cameron RP: *see* Taylor CB.
Carlson MJ, Shaul JA, Eisen SV, Cleary PD: The Influence of Patient Characteristics on Ratings of Managed Behavioral Health Care, 29(4): 481–489.
Carpentier N, White D: Cohesion of the Primary Social Network and Sustained Service Use before the First Psychiatric Hospitalization, 29(4): 404–418.
Chitwood DD, Comerford M, McCoy HV: Satisfaction with Access to Health Care among Injection Drug Users, Other Drug Users, and Nonusers, 29(2): 189–197.
Chitwood DD: *see* Metsch LR.
Cleary PD: *see* Carlson MJ.
Close-Goedjen JL, Saunders SM: The Effect of Technical Support on Clinician Attitudes toward an Outcome Assessment Instrument, 29(1): 99–108.
Comerford M: *see* Chitwood DD.
Cook RF: *see* Trudeau JV.
Crandall L: *see* Metsch LR.
Culver S: *see* Yeh M.
Curran GM, Kirchner JE, Worley M, Rookey C, Booth BM: Depressive Symptomatology and Early Attrition from Intensive Outpatient Substance Use Treatment, 29(2): 138–143.

D

Dietz DK: *see* Trudeau JV.
Dirani R: *see* Mark TL.
Dodds W: *see* Ellison ML.
Doerfler LA, Addis ME, Moran PW: Evaluationg Mental Health Outcomes in an Inpatient Setting: Convergent and Divergent Validity of the OQ-45 and BASIS-32, 29(4): 394–403.

Dorfman SL, Smith SA: Preventive Mental Health and Substance Abuse Programs and Services in Managed Care, 29(3): 233–258.

E

Eisen SV: *see* Carlson MJ.
Ellison ML, Anthony WA, Sheets JL, Dodds W, Barker WJ, Massaro J, Wewiorski NJ: The Integration of Psychiatric Rehabilitation Services in Behavioral Health Care Structures: A State Example, 29(4): 381–393.
Epstein MH, Ryser G, Pearson N: Standardization of the Behavioral and Emotional Rating Scale: Factor Structure, Reliability, and Criterion Validity, 29(2): 208–216.
Escudero P: *see* Stein BD.

F

Feng W: *see* Booth BM.
Fink A: *see* Stein BD.
Fisher WH, Packer IK, Banks SM, Smith D, Simon LJ, Roy-Bujnowski K: Self-Reported Lifetime Psychiatric Hospitalization Histories of Jail Detainees with Mental Disorders: Comparison with a Non-Incarcerated National Sample, 29(4): 458–465.
Frederick S, Caldwell K, Rubio DM: Home-Based Treatment, Rates of Ambulatory Follow-Up, and Psychiatric Rehospitalization in a Medicaid Managed Care Population, 29(4): 466–475.
Fries BE: *see* Hirdes JP.

G

Garland A: *see* Yeh M.
Godding PR: *see* Brown SA.

H

Hanson A: *Improving Mental Health Care: Commitment to Quality*, by Dickey B, Sederer LI (Book Review), 29(3): 357–358.
Hanson TC, Hesselbrock M, Tworkowski SH, Swan S: The Prevalence and Management of Trauma in the Public Domain: An Agency and Clinician Perspective, 29(4): 365–380.
Harrison PA: *see* Asche SE.
Hazen A: *see* Yeh M.
Hegge L: *see* Squire L.
Hesselbrock M: *see* Hanson TC.
Hiller ML: *see* Leukefeld CG.
Hirdes JP, Smith TF, Rabinowitz T, Yamauchi K, Pérez E, Telegdi NC, Prendergast P, Morris JN, Ikegami N, Phillips C, Fries BE: The Resident Assessment Instrument–Mental Health (RAI–MH): Inter-Rater Reliability and Convergent Validity, 29(4): 419–432.
Hough R: *see* Yeh M.
Hurlburt M: *see* Yeh M.

I

Ikegami N: *see* Hirdes JP.

J

Jaycox LH: *see* Stein BD.
Johnson JA, Roman PM: Predicting Closure of Private Substance Abuse Treatment Facilities, 29(2): 115–125.
Johnson ME: *see* Brems C.
Junge J: *see* Taylor CB.

K

Kataoka S: *see* Stein BD.
Kirchner JE: *see* Curran GM.
Koopman C: *see* Matano RA.

L

Lambert MT: Linking Mental Health and Addiction Services: A Continuity-of-Care Team Model, 29(4): 433–444.
Landsverk J: *see* Yeh M.
Leon SC: *see* Lyons JS.
Leukefeld CG, Staton M, Hiller ML, Logan TK, Warner B, Shaw K, Purvis RT: A Descriptive Profile of Health Problems, Health Services Utilization, and HIV Serostatus among Incarcerated Male Drug Abusers, 29(2): 167–175.
Logan TK: *see* Leukefeld CG.
Lyons JS, Rawal P, Yeh I, Leon SC, Tracy P: Use of Measurement Audit in Outcomes Management, 29(1): 75–80.

M

Mark TL, Dirani R, Slade E, Russo PA: Access to New Medications to Treat Schizophrenia, 29(1): 15–29.
Massaro J: *see* Ellison ML.
Matano RA, Wanat SF, Westrup D, Koopman C, Whitsell SD: Prevalence of Alcohol and Drug Use in a Highly Educated Workforce, 29(1): 30–44.
Matzger H: *see* Weisner C.
McCabe K: *see* Yeh M.

McCoy CB: *see* Metsch LR.
McCoy HV: *see* Chitwood DD.
McCoy HV, Messiah SE, Zhao W: Improving Access to Primary Health Care for Chronic Drug Users: An Innovative Systemic Intervention for Providers, 29(4): 445–457.
Messiah SE: *see* McCoy HV.
Metsch LR, Crandall L, Wohler-Torres B, Miles CC, Chitwood DD, McCoy CB: Met and Unmet Need for Dental Services among Active Drug Users in Miami, Florida, 29(2): 176–188.
Miles CC: *see* Metsch LR.
Mischel E: *see* Arfken CL.
Montoya ID, Bell DC, Atkinson JS, Nagy CW, Whitsett DD: Mental Health, Drug Use, and the Transition from Welfare to Work, 29(2): 144–156.
Moran PW: *see* Doerfler LA.
Morris JN: *see* Hirdes JP.

N

Nagy CW: *see* Montoya ID.
Namyniuk LL: *see* Brems C.
Newman MG: *see* Taylor CB.

P

Packer IK: *see* Fisher WH.
Parker JD: *see* Brown SA.
Parker JD, Turk CL, Busby LD: A Brief Telephone Intervention Targeting Treatment Engagement from a Substance Abuse Program Wait List, 29(3): 288–303.
Parthasarathy S: *see* Walter LJ.
Pearson N: *see* Epstein MH.
Pérez E: *see* Hirdes JP.
Phillips C: *see* Hirdes JP.
Polischuk V: *see* Squire L.
Prendergast P: *see* Hirdes JP.
Purvis RT: *see* Leukefeld CG.

R

Rabinowitz T: *see* Hirdes JP.
Rawal P: *see* Lyons JS.
Roman PM: *see* Johnson JA.
Rookey C: *see* Curran GM.
Rosenblatt A, Rosenblatt JA: Assessing the Effectiveness of Care for Youth with Severe Emotional Disturbances: Is There Agreement between Popular Outcome Measures?, 29(3): 259–273.
Rosenblatt JA: *see* Rosenblatt A.
Roy-Bujnowski K: *see* Fisher WH.
Rubio DM: *see* Frederick S.
Russo PA: *see* Mark TL.
Ryser G: *see* Epstein MH.

S

Saunders SM: *see* Close-Goedjen JL.
Schlesinger M: *see* Wolff N.
Schonfeld L: *see* Becker M.
Shaul JA: *see* Carlson MJ.
Shaw K: *see* Leukefeld CG.
Sheets JL: *see* Ellison ML.
Simon LJ: *see* Fisher WH.
Slade E: *see* Mark TL.
Smith D: *see* Fisher WH.
Smith SA: *see* Dorfman SL.
Smith TF: *see* Hirdes JP.
Snyder K: *see* Stiles PG.
Squire L, Bédard M, Hegge L, Polischuk V: Current Evaluation and Future Needs of a Mental Health Data Linkage System in a Remote Region: A Canadian Experience, 29(4): 476–480.
Staton M: *see* Leukefeld CG.
Stein BD, Kataoka S, Jaycox LH, Wong M, Fink A, Escudero P, Zaragoza C: Theoretical Basis and Program Design of a School-Based Mental Health Intervention for Traumatized Immigrant Children: A Collaborative Research Partnership, 29(3): 318–326.
Stiles M: *see* Becker M.
Stiles PG, Boothroyd RA, Snyder K, Zong X: Service Penetration by Persons with Severe Mental Illness: How Should It Be Measured?, 29(2): 198–207.
Stuber J: *see* Wolff N.
Swan S: *see* Hanson TC.

T

Taylor CB, Cameron RP, Newman MG, Junge J: Issues Related to Combining Risk Factor Reduction and Clinical Treatment for Eating Disorders in Defined Populations, 29(1): 81–90.
Telegdi NC: *see* Hirdes JP.
Tracy P: *see* Lyons JS.
Trudeau JV, Deitz DK, Cook RF: Utilization and Cost of Behavioral Health Services: Employee Characteristics and Workplace Health Promotion, 29(1): 61–74.
Turk CL: *see* Parker JD.
Tworkowski SH: *see* Hanson TC.

V

Valenstein M: *see* Bingham CR.

W

Walter LJ, Parthasarathy S, Allen S, Ackerson L: Medicaid Patients in a Private Health Maintenance Organization: Patterns of Chemical Dependency Treatment, 29(1): 1–14.
Wanat SF: *see* Matano RA.
Warner B: *see* Leukefeld CG.
Weisner C, Matzger H: A Prospective Study of the Factors Influencing Entry to Alcohol and Drug Treatment, 29(2): 126–137.
Westrup D: *see* Matano RA.
Wewiorski NJ: *see* Ellison ML.
White D: *see* Carpentier N.
Whitsell SD: *see* Matano RA.
Whitsett DD: *see* Montoya ID.
Wohler-Torres B: *see* Metsch LR.
Wolff N, Schlesinger M: Clinicians as Advocates: An Exploratory Study of Responses to Managed Care by Mental Health Professionals, 29(3): 274–287.
Wolff N, Stuber J: State Mental Hospitals and Their Host Communities: The Origins of Hostile Public Relations, 29(3): 304–317.
Wong M: *see* Stein BD.
Worley M: *see* Curran GM.

Y

Yamauchi K: *see* Hirdes JP.
Yeager L: *see* Arfken CL.
Yeh I: *see* Lyons JS.
Yeh M, McCabe K, Hurlburt M, Hough R, Hazen A, Culver S, Garland A, Landsverk J: Referral Sources, Diagnoses, and Service Types of Youth in Public Outpatient Mental Health Care: A Focus on Ethnic Minorities, 29(1): 45–60.

Z

Zaragoza C: *see* Stein BD.
Zeman LL: *see* Arfken CL.
Zhao W: *see* McCoy HV.
Zong X: *see* Stiles PG.

Subject Index

Volume 29

A

Access to care
Access to New Medications to Treat Schizophrenia, Mark TL, Dirani R, Slade E, Russo PA, 29(1): 15–29.
Administrative, Clinical, and Ethical Issues Surrounding the Use of Waiting Lists in the Delivery of Mental Health Services, Brown SA, Parker JD, Godding PR, 29(2): 217–228.
Current Evaluation and Future Needs of a Mental Health Data Linkage System in a Remote Region: A Canadian Experience, Squire L, Bédard M, Hegge L, Polischuk V, 29(4): 476–480.
Frequent Visitors to Psychiatric Emergency Services: Staff Attitudes and Temporal Patterns, Arfken CL, Zeman LL, Yeager L, Mischel E, Amirsadri A, 29(4): 490–496.
Improving Access to Primary Health Care for Chronic Drug Users: An Innovative Systemic Intervention for Providers, McCoy HV, Messiah SE, Zhao W, 29(4): 445–457.
Met and Unmet Need for Dental Services among Active Drug Users in Miami, Florida, Metsch LR, Crandall L, Wohler-Torres B, Miles CC, Chitwood DD, McCoy CB, 29(2): 176–188.
Predicting Closure of Private Substance Abuse Treatment Facilities, Johnson JA, Roman PM, 29(2): 115–125.
The Relationship between Problem Severity and Ancillary Treatment Services: Is Substance Abuse Treatment Responsive to Client Need?, Asche SE, Harrison PA, 29(3): 345–356.
Satisfaction with Access to Health Care among Injection Drug Users, Other Drug Users, and Nonusers, Chitwood DD, Comerford M, McCoy HV, 29(2): 189–197.
Service Penetration by Persons with Severe Mental Illness: How Should It Be Measured?, Stiles PG, Boothroyd RA, Snyder K, Zong X, 29(2): 198–207.
Advocacy
Clinicians as Advocates: An Exploratory Study of Responses to Managed Care by Mental Health Professionals, Wolff N, Schlesinger M, 29(3): 274–287.
Aftercare
Home-Based Treatment, Rates of Ambulatory Follow-Up, and Psychiatric Rehospitalization

in a Medicaid Managed Care Population, Frederick S, Caldwell K, Rubio DM, 29(4): 466–475.

Alcohol/substance use and abuse

A Brief Telephone Intervention Targeting Treatment Engagement from a Substance Abuse Wait List, Parker JD, Turk CL, Busby LD, 29(3): 288–303.

Clients with Substance Abuse and Mental Health Concerns: A Guide for Conducting Intake Interviews, Brems C, Johnson ME, Namyniuk LL, 29(3): 327–334.

Depressive Symptomatology and Early Attrition from Intensive Outpatient Substance Use Treatment, Curran GM, Kirchner JE, Worley M, Rookey C, Booth BM, 29(2): 138–143.

A Descriptive Profile of Health Problems, Health Services Utilization, and HIV Serostatus among Incarcerated Male Drug Abusers, Leukefeld CG, Staton M, Hiller ML, Logan TK, Warner B, Shaw K, Purvis RT, 29(2): 167–175.

The Impact of Drinking and Drinking Consequences on Short-Term Employment Outcomes in At-Risk Drinkers in Six Southern States, Booth BM, Feng W, 29(2): 157–166.

Improving Access to Primary Health Care for Chronic Drug Users: An Innovative Systemic Intervention for Providers, McCoy HV, Messiah SE, Zhao W, 29(4): 445–457.

Introduction to Health Services Research in Substance Abuse: Research in Practice, Booth BM, 29(2): 113–114.

Linking Mental Health and Addiction Services: A Continuity-of-Care Team Model, Lambert MT, 29(4): 433–444.

Medicaid Patients in a Private Health Maintenance Organization: Patterns of Chemical Dependency Treatment, Walter LJ, Parthasarathy S, Allen S, Ackerson L, 29(1): 1–14.

Mental Health, Drug Use, and the Transition from Welfare to Work, Montoya ID, Bell DC, Atkinson JS, Nagy CW, Whitsett DD, 29(2): 144–156.

Met and Unmet Need for Dental Services among Active Drug Users in Miami, Florida, Metsch LR, Crandall L, Wohler-Torres B, Miles CC, Chitwood DD, McCoy CB, 29(2): 176–188.

Predicting Closure of Private Substance Abuse Treatment Facilities, Johnson JA, Roman PM, 29(2): 115–125.

Prevalence of Alcohol and Drug Use in a Highly Educated Workforce, Matano RA, Wanat SF, Westrup D, Koopman C, Whitsell SD, 29(1): 30–44.

Preventive Mental Health and Substance Abuse Programs and Services in Managed Care, Dorfman SL, Smith SA, 29(3): 233–258.

A Prospective Study of the Factors Influencing Entry to Alcohol and Drug Treatment, Weisner C, Matzger H, 29(2): 126–137.

The Relationship between Problem Severity and Ancillary Treatment Services: Is Substance Abuse Treatment Responsive to Client Need?, Asche SE, Harrison PA, 29(3): 345–356.

Satisfaction with Access to Health Care among Injection Drug Users, Other Drug Users, and Nonusers, Chitwood DD, Comerford M, McCoy HV, 29(2): 189–197.

Assessment instruments

Assessing the Effectiveness of Care for Youth with Severe Emotional Disturbances: Is There Agreement between Popular Outcome Measures? Rosenblatt A, Rosenblatt JA, 29(3): 259–273.

The Effect of Technical Support on Clinician Attitudes toward an Outcome Assessment Instrument, Close-Goedjen JL, Saunders SM, 29(1): 99–108.

Evaluating Mental Health Outcomes in an Inpatient Setting: Convergent and Divergent Validity of the OQ-45 and BASIS-32, Doerfler LA, Addis ME, Moran PW, 29(4): 394–403.

The Resident Assessment Instrument–Mental Health (RAI–MH): Inter-Rater Reliability and Convergent Validity, Hirdes JP, Smith TF, Rabinowitz T, Yamauchi K, Pérez E, Telegdi NC, Prendergast P, Morris JN, Ikegami N, Phillips C, Fries BE, 29(4): 419–432.

Standardization of the Behavioral and Emotional Rating Scale: Factor Structure, Reliability, and Criterion Validity, Epstein MH, Ryser G, Pearson N, 29(2): 208–216.

Assisted living facilities

Mental Health Service Use and Cost of Care for Older Adults in Assisted Living Facilities: Implications for Public Policy, Becker M, Stiles P, Schonfeld L, 29(1): 91–98.

B

Behavior and Symptom Identification Scale (BASIS-32)

Evaluating Mental Health Outcomes in an Inpatient Setting: Convergent and Divergent Validity of the OQ-45 and BASIS-32, Doerfler LA, Addis ME, Moran PW, 29(4): 394–403.

Behavioral and Emotional Rating Scale
Standardization of the Behavioral and Emotional Rating Scale: Factor Structure, Reliability, and Criterion Validity, Epstein MH, Ryser G, Pearson N, 29(2): 208–216.
Book review
Improving Mental Health Care: Commitment to Quality, Dickey B, Sederer LI, eds (reviewed by Hanson A), 29(3): 357–358.

C

Children, youth, and families
Assessing the Effectiveness of Care for Youth with Severe Emotional Disturbances: Is There Agreement between Popular Outcome Measures? Rosenblatt A, Rosenblatt JA, 29(3): 259–273.
Referral Sources, Diagnoses, and Service Types of Youth in Public Outpatient Mental Health Care: A Focus on Ethnic Minorities, Yeh M, McCabe K, Hurlburt M, Hough R, Hazen A, Culver S, Garland A, Landsverk J, 29(1): 45–60.
Standardization of the Behavioral and Emotional Rating Scale: Factor Structure, Reliability, and Criterion Validity, Epstein MH, Ryser G, Pearson N, 29(2): 208–216.
Theoretical Basis and Program Design of a School-Based Mental Health Intervention for Traumatized Immigrant Children: A Collaborative Research Partnership, Stein BD, Kataoka S, Jaycox LH, Wong M, Fink A, Escudero P, Zaragoza C, 29(3): 318–326.
Use of Measurement Audit in Outcomes Management, Lyons JS, Rawal P, Yeh I, Leon SC, Tracy P, 29(1): 75–80.
Client need
Met and Unmet Need for Dental Services among Active Drug Users in Miami, Florida, Metsch LR, Crandall L, Wohler-Torres B, Miles CC, Chitwood DD, McCoy CB, 29(2): 176–188.
The Relationship between Problem Severity and Ancillary Treatment Services: Is Substance Abuse Treatment Responsive to Client Need?, Asche SE, Harrison PA, 29(3): 345–356.
Community mental health
Current Evaluation and Future Needs of a Mental Health Data Linkage System in a Remote Region: A Canadian Experience, Squire L, Bédard M, Hegge L, Polischuk V, 29(4): 476–480.
State Mental Hospitals and Their Host Communities: The Origins of Hostile Public Relations, Wolff N, Stuber J, 29(3): 304–317.
Continuity of care
Clients with Substance Abuse and Mental Health Concerns: A Guide for Conducting Intake Interviews, Brems C, Johnson ME, Namyniuk LL, 29(3): 327–334.
Current Evaluation and Future Needs of a Mental Health Data Linkage System in a Remote Region: A Canadian Experience, Squire L, Bédard M, Hegge L, Polischuk V, 29(4): 476–480.
Linking Mental Health and Addiction Services: A Continuity-of-Care Team Model, Lambert MT, 29(4): 433–444.
Costs of care
Mental Health Service Use and Cost of Care for Older Adults in Assisted Living Facilities: Implications for Public Policy, Becker M, Stiles P, Schonfeld L, 29(1): 91–98.
Preventive Mental Health and Substance Abuse Programs and Services in Managed Care, Dorfman SL, Smith SA, 29(3): 233–258.
Utilization and Cost of Behavioral Health Services: Employee Characteristics and Workplace Health Promotion, Trudeau JV, Deitz DK, Cook RF, 29(1): 61–74.

D

Dental care
Met and Unmet Need for Dental Services among Active Drug Users in Miami, Florida, Metsch LR, Crandall L, Wohler-Torres B, Miles CC, Chitwood DD, McCoy CB, 29(2): 176–188.
Depression
Depressive Symptomatology and Early Attrition from Intensive Outpatient Substance Use Treatment, Curran GM, Kirchner JE, Worley M, Rookey C, Booth BM, 29(2): 138–143.
Diagnosis
Referral Sources, Diagnoses, and Service Types of Youth in Public Outpatient Mental Health Care: A Focus on Ethnic Minorities, Yeh M, McCabe K, Hurlburt M, Hough R, Hazen A, Culver S, Garland A, Landsverk J, 29(1): 45–60.
Standardization of the Behavioral and Emotional Rating Scale: Factor Structure, Reliability, and Criterion Validity, Epstein MH, Ryser G, Pearson N, 29(2): 208–216.
Dual-diagnosis patients
Clients with Substance Abuse and Mental Health Concerns: A Guide for Conducting Intake Interviews, Brems C, Johnson ME, Namyniuk LL, 29(3): 327–334.

Depressive Symptomatology and Early Attrition from Intensive Outpatient Substance Use Treatment, Curran GM, Kirchner JE, Worley M, Rookey C, Booth BM, 29(2): 138–143.
Linking Mental Health and Addiction Services: A Continuity-of-Care Team Model, Lambert MT, 29(4): 433–444.
Mental Health, Drug Use, and the Transition from Welfare to Work, Montoya ID, Bell DC, Atkinson JS, Nagy CW, Whitsett DD, 29(2): 144–156.
Preventive Mental Health and Substance Abuse Programs and Services in Managed Care, Dorfman SL, Smith SA, 29(3): 233–258.

E

Eating disorders
Issues Related to Combining Risk Factor Reduction and Clinical Treatment for Eating Disorders in Defined Populations, Taylor CB, Cameron RP, Newman MG, Junge J, 29(1): 81–90.
Emergency services
Frequent Visitors to Psychiatric Emergency Services: Staff Attitudes and Temporal Patterns, Arfken CL, Zeman LL, Yeager L, Mischel E, Amirsadri A, 29(4): 490–496.
Employment and workplace issues
The Impact of Drinking and Drinking Consequences on Short-Term Employment Outcomes in At-Risk Drinkers in Six Southern States, Booth BM, Feng W, 29(2): 157–166.
Mental Health, Drug Use, and the Transition from Welfare to Work, Montoya ID, Bell DC, Atkinson JS, Nagy CW, Whitsett DD, 29(2): 144–156.
The Mental Health Care Context and Patient Characteristics: Implications for Provider Job Satisfaction, Bingham CR, Valenstein M, Blow FC, Alexander JA, 29(3): 335–344.
Prevalence of Alcohol and Drug Use in a Highly Educated Workforce, Matano RA, Wanat SF, Westrup D, Koopman C, Whitsell SD, 29(1): 30–44.
Utilization and Cost of Behavioral Health Services: Employee Characteristics and Workplace Health Promotion, Trudeau JV, Deitz DK, Cook RF, 29(1): 61–74.
Epidemiology
A Descriptive Profile of Health Problems, Health Services Utilization, and HIV Serostatus among Incarcerated Male Drug Abusers, Leukefeld CG, Staton M, Hiller ML, Logan TK, Warner B, Shaw K, Purvis RT, 29(2): 167–175.
The Prevalence and Management of Trauma in the Public Domain: An Agency and Clinician Perspective, Hanson TC, Hesselbrock M, Tworkowski SH, Swan S, 29(4): 365–380.
Prevalence of Alcohol and Drug Use in a Highly Educated Workforce, Matano RA, Wanat SF, Westrup D, Koopman C, Whitsell SD, 29(1): 30–44.
Self-Reported Lifetime Psychiatric Hospitalization Histories of Jail Detainees with Mental Disorders: Comparison with a Non-Incarcerated National Sample, Fisher WH, Packer IK, Banks SM, Smith D, Simon LJ, Roy-Bujnowski K, 29(4): 458–465.
Ethics
Administrative, Clinical, and Ethical Issues Surrounding the Use of Waiting Lists in the Delivery of Mental Health Services, Brown SA, Parker JD, Godding PR, 29(2): 217–228.

H

Health promotion
Issues Related to Combining Risk Factor Reduction and Clinical Treatment for Eating Disorders in Defined Populations, Taylor CB, Cameron RP, Newman MG, Junge J, 29(1): 81–90.
Preventive Mental Health and Substance Abuse Programs and Services in Managed Care, Dorfman SL, Smith SA, 29(3): 233–258.
Utilization and Cost of Behavioral Health Services: Employee Characteristics and Workplace Health Promotion, Trudeau JV, Deitz DK, Cook RF, 29(1): 61–74.
HIV infection
A Descriptive Profile of Health Problems, Health Services Utilization, and HIV Serostatus among Incarcerated Male Drug Abusers, Leukefeld CG, Staton M, Hiller ML, Logan TK, Warner B, Shaw K, Purvis RT, 29(2): 167–175.
Home care
Home-Based Treatment, Rates of Ambulatory Follow-Up, and Psychiatric Rehospitalization in a Medicaid Managed Care Population, Frederick S, Caldwell K, Rubio DM, 29(4): 466–475.

I

Immigrants
Theoretical Basis and Program Design of a School-Based Mental Health Intervention for

Traumatized Immigrant Children: A Collaborative Research Partnership, Stein BD, Kataoka S, Jaycox LH, Wong M, Fink A, Escudero P, Zaragoza C, 29(3): 318–326.

Incarcerated population

A Descriptive Profile of Health Problems, Health Services Utilization, and HIV Serostatus among Incarcerated Male Drug Abusers, Leukefeld CG, Staton M, Hiller ML, Logan TK, Warner B, Shaw K, Purvis RT, 29(2): 167–175.

Self-Reported Lifetime Psychiatric Hospitalization Histories of Jail Detainees with Mental Disorders: Comparison with a Non-Incarcerated National Sample, Fisher WH, Packer IK, Banks SM, Smith D, Simon LJ, Roy-Bujnowski K, 29(4): 458–465.

Intake evaluation

Clients with Substance Abuse and Mental Health Concerns: A Guide for Conducting Intake Interviews, Brems C, Johnson ME, Namyniuk LL, 29(3): 327–334.

The Resident Assessment Instrument–Mental Health (RAI–MH): Inter-Rater Reliability and Convergent Validity, Hirdes JP, Smith TF, Rabinowitz T, Yamauchi K, Pérez E, Telegdi NC, Prendergast P, Morris JN, Ikegami N, Phillips C, Fries BE, 29(4): 419–432.

M

Managed care

Clinicians as Advocates: An Exploratory Study of Responses to Managed Care by Mental Health Professionals, Wolff N, Schlesinger M, 29(3): 274–287.

The Effect of Technical Support on Clinician Attitudes toward an Outcome Assessment Instrument, Close-Goedjen JL, Saunders SM, 29(1): 99–108.

Home-Based Treatment, Rates of Ambulatory Follow-Up, and Psychiatric Rehospitalization in a Medicaid Managed Care Population, Frederick S, Caldwell K, Rubio DM, 29(4): 466–475.

The Influence of Patient Characteristics on Ratings of Managed Behavioral Health Care, Carlson MJ, Shaul JA, Eisen SV, Cleary PD, 29(4): 481–489.

The Integration of Psychiatric Rehabilitation Services in Behavioral Health Care Structures: A State Example, Ellison ML, Anthony WA, Sheets JL, Dodds W, Barker WJ, Massaro J, Wewiorski NJ, 29(4): 381–393.

Medicaid Patients in a Private Health Maintenance Organization: Patterns of Chemical Dependency Treatment, Walter LJ, Parthasarathy S, Allen S, Ackerson L, 29(1): 1–14.

Preventive Mental Health and Substance Abuse Programs and Services in Managed Care, Dorfman SL, Smith SA, 29(3): 233–258.

Medicaid

Home-Based Treatment, Rates of Ambulatory Follow-Up, and Psychiatric Rehospitalization in a Medicaid Managed Care Population, Frederick S, Caldwell K, Rubio DM, 29(4): 466–475.

Medicaid Patients in a Private Health Maintenance Organization: Patterns of Chemical Dependency Treatment, Walter LJ, Parthasarathy S, Allen S, Ackerson L, 29(1): 1–14.

Mental health care providers

Clinicians as Advocates: An Exploratory Study of Responses to Managed Care by Mental Health Professionals, Wolff N, Schlesinger M, 29(3): 274–287.

The Effect of Technical Support on Clinician Attitudes toward an Outcome Assessment Instrument, Close-Goedjen JL, Saunders SM, 29(1): 99–108.

Frequent Visitors to Psychiatric Emergency Services: Staff Attitudes and Temporal Patterns, Arfken CL, Zeman LL, Yeager L, Mischel E, Amirsadri A, 29(4): 490–496.

The Mental Health Care Context and Patient Characteristics: Implications for Provider Job Satisfaction, Bingham CR, Valenstein M, Blow FC, Alexander JA, 29(3): 335–344.

The Prevalence and Management of Trauma in the Public Domain: An Agency and Clinician Perspective, Hanson TC, Hesselbrock M, Tworkowski SH, Swan S, 29(4): 365–380.

Minority populations

Access to New Medications to Treat Schizophrenia, Mark TL, Dirani R, Slade E, Russo PA, 29(1): 15–29.

Referral Sources, Diagnoses, and Service Types of Youth in Public Outpatient Mental Health Care: A Focus on Ethnic Minorities, Yeh M, McCabe K, Hurlburt M, Hough R, Hazen A, Culver S, Garland A, Landsverk J, 29(1): 45–60.

O

Older adults

Mental Health Service Use and Cost of Care for Older Adults in Assisted Living Facilities: Implications for Public Policy, Becker M, Stiles P, Schonfeld L, 29(1): 91–98.

Outcome assessment
Assessing the Effectiveness of Care for Youth with Severe Emotional Disturbances: Is There Agreement between Popular Outcome Measures?, Rosenblatt A, Rosenblatt JA, 29(3): 259–273.
The Effect of Technical Support on Clinician Attitudes toward an Outcome Assessment Instrument, Close-Goedjen JL, Saunders SM, 29(1): 99–108.
Evaluating Mental Health Outcomes in an Inpatient Setting: Convergent and Divergent Validity of the OQ-45 and BASIS-32, Doerfler LA, Addis ME, Moran PW, 29(4): 394–403.
The Impact of Drinking and Drinking Consequences on Short-Term Employment Outcomes in At-Risk Drinkers in Six Southern States, Booth BM, Feng W, 29(2): 157–166.
The Resident Assessment Instrument–Mental Health (RAI–MH): Inter-Rater Reliability and Convergent Validity, Hirdes JP, Smith TF, Rabinowitz T, Yamauchi K, Pérez E, Telegdi NC, Prendergast P, Morris JN, Ikegami N, Phillips C, Fries BE, 29(4): 419–432.
Use of Measurement Audit in Outcomes Management, Lyons JS, Rawal P, Yeh I, Leon SC, Tracy P, 29(1): 75–80.
Outcome Questionnaire (OQ-45)
Evaluating Mental Health Outcomes in an Inpatient Setting: Convergent and Divergent Validity of the OQ-45 and BASIS-32, Doerfler LA, Addis ME, Moran PW, 29(4): 394–403.

P

Pharmacotherapy
Access to New Medications to Treat Schizophrenia, Mark TL, Dirani R, Slade E, Russo PA, 29(1): 15–29.
Policy issues
Mental Health Service Use and Cost of Care for Older Adults in Assisted Living Facilities: Implications for Public Policy, Becker M, Stiles P, Schonfeld L, 29(1): 91–98.
Prevention
Issues Related to Combining Risk Factor Reduction and Clinical Treatment for Eating Disorders in Defined Populations, Taylor CB, Cameron RP, Newman MG, Junge J, 29(1): 81–90.
Preventive Mental Health and Substance Abuse Programs and Services in Managed Care, Dorfman SL, Smith SA, 29(3): 233–258.
Primary health care
Improving Access to Primary Health Care for Chronic Drug Users: An Innovative Systemic Intervention for Providers, McCoy HV, Messiah SE, Zhao W, 29(4): 445–457.
Met and Unmet Need for Dental Services among Active Drug Users in Miami, Florida, Metsch LR, Crandall L, Wohler-Torres B, Miles CC, Chitwood DD, McCoy CB, 29(2): 176–188.
Private mental health care
Medicaid Patients in a Private Health Maintenance Organization: Patterns of Chemical Dependency Treatment, Walter LJ, Parthasarathy S, Allen S, Ackerson L, 29(1): 1–14.
Predicting Closure of Private Substance Abuse Treatment Facilities, Johnson JA, Roman PM, 29(2): 115–125.
Psychiatric hospitalization
Cohesion of the Primary Social Network and Sustained Service Use before the First Psychiatric Hospitalization, Carpentier N, White D, 29(4): 404–418.
Evaluating Mental Health Outcomes in an Inpatient Setting: Convergent and Divergent Validity of the OQ-45 and BASIS-32, Doerfler LA, Addis ME, Moran PW, 29(4): 394–403.
Home-Based Treatment, Rates of Ambulatory Follow-Up, and Psychiatric Rehospitalization in a Medicaid Managed Care Population, Frederick S, Caldwell K, Rubio DM, 29(4): 466–475.
The Resident Assessment Instrument–Mental Health (RAI–MH): Inter-Rater Reliability and Convergent Validity, Hirdes JP, Smith TF, Rabinowitz T, Yamauchi K, Pérez E, Telegdi NC, Prendergast P, Morris JN, Ikegami N, Phillips C, Fries BE, 29(4): 419–432.
Self-Reported Lifetime Psychiatric Hospitalization Histories of Jail Detainees with Mental Disorders: Comparison with a Non-Incarcerated National Sample, Fisher WH, Packer IK, Banks SM, Smith D, Simon LJ, Roy-Bujnowski K, 29(4): 458–465.
State Mental Hospitals and Their Host Communities: The Origins of Hostile Public Relations, Wolff N, Stuber J, 29(3): 304–317.
Use of Measurement Audit in Outcomes Management, Lyons JS, Rawal P, Yeh I, Leon SC, Tracy P, 29(1): 75–80.
Psychiatric rehabilitation
The Integration of Psychiatric Rehabilitation Services in Behavioral Health Care Structures: A State Example, Ellison ML, Anthony WA, Sheets JL, Dodds W, Barker WJ, Massaro J, Wewiorski NJ, 29(4): 381–393.

Psychotherapy
Issues Related to Combining Risk Factor Reduction and Clinical Treatment for Eating Disorders in Defined Populations, Taylor CB, Cameron RP, Newman MG, Junge J, 29(1): 81–90.
Public mental health care
The Prevalence and Management of Trauma in the Public Domain: An Agency and Clinician Perspective, Hanson TC, Hesselbrock M, Tworkowski SH, Swan S, 29(4): 365–380.
Referral Sources, Diagnoses, and Service Types of Youth in Public Outpatient Mental Health Care: A Focus on Ethnic Minorities, Yeh M, McCabe K, Hurlburt M, Hough R, Hazen A, Culver S, Garland A, Landsverk J, 29(1): 45–60.
State Mental Hospitals and Their Host Communities: The Origins of Hostile Public Relations, Wolff N, Stuber J, 29(3): 304–317.
Public relations
State Mental Hospitals and Their Host Communities: The Origins of Hostile Public Relations, Wolff N, Stuber J, 29(3): 304–317.

R

Referral
Referral Sources, Diagnoses, and Service Types of Youth in Public Outpatient Mental Health Care: A Focus on Ethnic Minorities, Yeh M, McCabe K, Hurlburt M, Hough R, Hazen A, Culver S, Garland A, Landsverk J, 29(1): 45–60.
Research
Assessing the Effectiveness of Care for Youth with Severe Emotional Disturbances: Is There Agreement between Popular Outcome Measures?, Rosenblatt A, Rosenblatt JA, 29(3): 259–273.
Depressive Symptomatology and Early Attrition from Intensive Outpatient Substance Use Treatment, Curran GM, Kirchner JE, Worley M, Rookey C, Booth BM, 29(2): 138–143.
A Descriptive Profile of Health Problems, Health Services Utilization, and HIV Serostatus among Incarcerated Male Drug Abusers, Leukefeld CG, Staton M, Hiller ML, Logan TK, Warner B, Shaw K, Purvis RT, 29(2): 167–175.
The Impact of Drinking and Drinking Consequences on Short-Term Employment Outcomes in At-Risk Drinkers in Six Southern States, Booth BM, Feng W, 29(2): 157–166.
Introduction to Health Services Research in Substance Abuse: Research in Practice, Booth BM, 29(2): 113–114.
Mental Health, Drug Use, and the Transition from Welfare to Work, Montoya ID, Bell DC, Atkinson JS, Nagy CW, Whitsett DD, 29(2): 144–156.
The Mental Health Care Context and Patient Characteristics: Implications for Provider Job Satisfaction, Bingham CR, Valenstein M, Blow FC, Alexander JA, 29(3): 335–344.
Met and Unmet Need for Dental Services among Active Drug Users in Miami, Florida, Metsch LR, Crandall L, Wohler-Torres B, Miles CC, Chitwood DD, McCoy CB, 29(2): 176–188.
A Prospective Study of the Factors Influencing Entry to Alcohol and Drug Treatment, Weisner C, Matzger H, 29(2): 126–137.
Satisfaction with Access to Health Care among Injection Drug Users, Other Drug Users, and Nonusers, Chitwood DD, Comerford M, McCoy HV, 29(2): 189–197.
Theoretical Basis and Program Design of a School-Based Mental Health Intervention for Traumatized Immigrant Children: A Collaborative Research Partnership, Stein BD, Kataoka S, Jaycox LH, Wong M, Fink A, Escudero P, Zaragoza C, 29(3): 318–326.
Resident Assessment Instrument–Mental Health
The Resident Assessment Instrument–Mental Health (RAI–MH): Inter-Rater Reliability and Convergent Validity, Hirdes JP, Smith TF, Rabinowitz T, Yamauchi K, Pérez E, Telegdi NC, Prendergast P, Morris JN, Ikegami N, Phillips C, Fries BE, 29(4): 419–432.

S

Schizophrenia
Access to New Medications to Treat Schizophrenia, Mark TL, Dirani R, Slade E, Russo PA, 29(1): 15–29.
School-based services
Theoretical Basis and Program Design of a School-Based Mental Health Intervention for Traumatized Immigrant Children: A Collaborative Research Partnership, Stein BD, Kataoka S, Jaycox LH, Wong M, Fink A, Escudero P, Zaragoza C, 29(3): 318–326.
Service provision/delivery
Administrative, Clinical, and Ethical Issues Surrounding the Use of Waiting Lists in the Delivery of Mental Health Services, Brown SA, Parker JD, Godding PR, 29(2): 217–228.
A Brief Telephone Intervention Targeting Treatment Engagement from a Substance Abuse

Wait List, Parker JD, Turk CL, Busby LD, 29(3): 288–303.
Clients with Substance Abuse and Mental Health Concerns: A Guide for Conducting Intake Interviews, Brems C, Johnson ME, Namyniuk LL, 29(3): 327–334.
Current Evaluation and Future Needs of a Mental Health Data Linkage System in a Remote Region: A Canadian Experience, Squire L, Bédard M, Hegge L, Polischuk V, 29(4): 476–480.
Improving Access to Primary Health Care for Chronic Drug Users: An Innovative Systemic Intervention for Providers, McCoy HV, Messiah SE, Zhao W, 29(4): 445–457.
The Influence of Patient Characteristics on Ratings of Managed Behavioral Health Care, Carlson MJ, Shaul JA, Eisen SV, Cleary PD, 29(4): 481–489.
The Integration of Psychiatric Rehabilitation Services in Behavioral Health Care Structures: A State Example, Ellison ML, Anthony WA, Sheets JL, Dodds W, Barker WJ, Massaro J, Wewiorski NJ, 29(4): 381–393.
Issues Related to Combining Risk Factor Reduction and Clinical Treatment for Eating Disorders in Defined Populations, Taylor CB, Cameron RP, Newman MG, Junge J, 29(1): 81–90.
Linking Mental Health and Addiction Services: A Continuity-of-Care Team Model, Lambert MT, 29(4): 433–444.
Met and Unmet Need for Dental Services among Active Drug Users in Miami, Florida, Metsch LR, Crandall L, Wohler-Torres B, Miles CC, Chitwood DD, McCoy CB, 29(2): 176–188.
Predicting Closure of Private Substance Abuse Treatment Facilities, Johnson JA, Roman PM, 29(2): 115–125.
The Prevalence and Management of Trauma in the Public Domain: An Agency and Clinician Perspective, Hanson TC, Hesselbrock M, Tworkowski SH, Swan S, 29(4): 365–380.
Preventive Mental Health and Substance Abuse Programs and Services in Managed Care, Dorfman SL, Smith SA, 29(3): 233–258.
Referral Sources, Diagnoses, and Service Types of Youth in Public Outpatient Mental Health Care: A Focus on Ethnic Minorities, Yeh M, McCabe K, Hurlburt M, Hough R, Hazen A, Culver S, Garland A, Landsverk J, 29(1): 45–60.
The Relationship between Problem Severity and Ancillary Treatment Services: Is Substance Abuse Treatment Responsive to Client Need?, Asche SE, Harrison PA, 29(3): 345–356.
Satisfaction with Access to Health Care among Injection Drug Users, Other Drug Users, and Nonusers, Chitwood DD, Comerford M, McCoy HV, 29(2): 189–197.
Service Penetration by Persons with Severe Mental Illness: How Should It Be Measured?, Stiles PG, Boothroyd RA, Snyder K, Zong X, 29(2): 198–207.
Theoretical Basis and Program Design of a School-Based Mental Health Intervention for Traumatized Immigrant Children: A Collaborative Research Partnership, Stein BD, Kataoka S, Jaycox LH, Wong M, Fink A, Escudero P, Zaragoza C, 29(3): 318–326.

Severe mental illness

Access to New Medications to Treat Schizophrenia, Mark TL, Dirani R, Slade E, Russo PA, 29(1): 15–29.
Assessing the Effectiveness of Care for Youth with Severe Emotional Disturbances: Is There Agreement between Popular Outcome Measures?, Rosenblatt A, Rosenblatt JA, 29(3): 259–273.
The Integration of Psychiatric Rehabilitation Services in Behavioral Health Care Structures: A State Example, Ellison ML, Anthony WA, Sheets JL, Dodds W, Barker WJ, Massaro J, Wewiorski NJ, 29(4): 381–393.
Service Penetration by Persons with Severe Mental Illness: How Should It Be Measured?, Stiles PG, Boothroyd RA, Snyder K, Zong X, 29(2): 198–207.

Social support

Cohesion of the Primary Social Network and Sustained Service Use before the First Psychiatric Hospitalization, Carpentier N, White D, 29(4): 404–418.

T

Telephone intervention

A Brief Telephone Intervention Targeting Treatment Engagement from a Substance Abuse Wait List, Parker JD, Turk CL, Busby LD, 29(3): 288–303.

Trauma

The Prevalence and Management of Trauma in the Public Domain: An Agency and Clinician Perspective, Hanson TC, Hesselbrock M, Tworkowski SH, Swan S, 29(4): 365–380.
Theoretical Basis and Program Design of a School-Based Mental Health Intervention for

Traumatized Immigrant Children: A Collaborative Research Partnership, Stein BD, Kataoka S, Jaycox LH, Wong M, Fink A, Escudero P, Zaragoza C, 29(3): 318–326.

Treatment motivation and retention

A Brief Telephone Intervention Targeting Treatment Engagement from a Substance Abuse Wait List, Parker JD, Turk CL, Busby LD, 29(3): 288–303.

Depressive Symptomatology and Early Attrition from Intensive Outpatient Substance Use Treatment, Curran GM, Kirchner JE, Worley M, Rookey C, Booth BM, 29(2): 138–143.

Medicaid Patients in a Private Health Maintenance Organization: Patterns of Chemical Dependency Treatment, Walter LJ, Parthasarathy S, Allen S, Ackerson L, 29(1): 1–14.

A Prospective Study of the Factors Influencing Entry to Alcohol and Drug Treatment, Weisner C, Matzger H, 29(2): 126–137.

U

Utilization of services

Cohesion of the Primary Social Network and Sustained Service Use before the First Psychiatric Hospitalization, Carpentier N, White D, 29(4): 404–418.

A Descriptive Profile of Health Problems, Health Services Utilization, and HIV Serostatus among Incarcerated Male Drug Abusers, Leukefeld CG, Staton M, Hiller ML, Logan TK, Warner B, Shaw K, Purvis RT, 29(2): 167–175.

Frequent Visitors to Psychiatric Emergency Services: Staff Attitudes and Temporal Patterns, Arfken CL, Zeman LL, Yeager L, Mischel E, Amirsadri A, 29(4): 490–496.

Mental Health Service Use and Cost of Care for Older Adults in Assisted Living Facilities: Implications for Public Policy, Becker M, Stiles P, Schonfeld L, 29(1): 91–98.

A Prospective Study of the Factors Influencing Entry to Alcohol and Drug Treatment, Weisner C, Matzger H, 29(2): 126–137.

Self-Reported Lifetime Psychiatric Hospitalization Histories of Jail Detainees with Mental Disorders: Comparison with a Non-Incarcerated National Sample, Fisher WH, Packer IK, Banks SM, Smith D, Simon LJ, Roy-Bujnowski K, 29(4): 458–465.

Service Penetration by Persons with Severe Mental Illness: How Should It Be Measured?, Stiles PG, Boothroyd RA, Snyder K, Zong X, 29(2): 198–207.

Utilization and Cost of Behavioral Health Services: Employee Characteristics and Workplace Health Promotion, Trudeau JV, Deitz DK, Cook RF, 29(1): 61–74.

W

Waiting lists

Administrative, Clinical, and Ethical Issues Surrounding the Use of Waiting Lists in the Delivery of Mental Health Services, Brown SA, Parker JD, Godding PR, 29(2): 217–228.

A Brief Telephone Intervention Targeting Treatment Engagement from a Substance Abuse Wait List, Parker JD, Turk CL, Busby LD, 29(3): 288–303.

Welfare reform

Mental Health, Drug Use, and the Transition from Welfare to Work, Montoya ID, Bell DC, Atkinson JS, Nagy CW, Whitsett DD, 29(2): 144–156.